

PUBLICATIONS DES ÉQUIPES DE RECHERCHE

UCL

Prof. André Goffinet et Dr. Emmanuel Hermans.

ULB

*Prof. Marc Parmentier, Prof. Serge Schiffmann
et Prof. Pierre Vanderhaeghen.*

ULg

Prof. Pierre Maquet, Prof. Gustave Moonen

SUBVENTONÉES AVEC DES CRÉDITS DE LA

FONDATION MÉDICALE REINE ELISABETH

2009

VOLUME II

Université Catholique de Louvain

Prof. Dr. André GOFFINET

TISSIR F., RAVNI A., ACHOURI Y., RIETHMACHER D. , MEYER G. And GOFFINET A. M.

DeltaNp73 regulates neuronal survival in vivo.

PNAS, Vol. 106, nr. 39, pp. 16871-16876. **Impact Factor: 9,380.**

LIBING ZHOU, QU YIBO, FADEL TISSR and ANDRE GOFFINET.

Role of the atypical cadherin celsr3 during development of the internal capsule

Cerebral Cortex, Vol. 19, pp. 1114-1119. **Impact Factor: 6,900.**

RAVNI A., QU Y., ANDRE GOFFINET and FADEL TISSIR

Planar cell polarity cadherin celsr1 regulates skin hair patterning in the mouse.

Journal of Investigative Dermatology, Vol. 129, nr. 10, pp. 2507-2509. **Impact Factor: 5,500.**

Dr. Emmanuel HERMANS

GOURSAUD S., MALOTEAUX J.-M. and HERMANS E.

Distinct expression and regulation of the glutamate transporter isoforms GLT-1a and GLT-1b in cultured astrocytes from a rat model of amyotrophic lateral sclerosis. (hSOD^{G93A})

Neurochemistry International, Vol. 55, pp. 28-34. **Impact Factor: 3,541.**

TILLIEUX S., GOURSAUD S. and HERMANS E.

Selective up-regulation of GLT-1 in cultured astrocytes exposed to soluble mediators released by activated microglia.

Neurochemistry International, Vol. 55, pp. 35-40. **Impact Factor: 3,541.**

VANHOUTTE N., ABARCA-QUINONES J., JORDAN F. B., GALLEZ B., MALOTEAUX J.-M. and HERMANS E.

Enhanced expression of the high affinity glutamate transporter GLT-1 in C6 glioma cells delays tumour progression in rat.

Experimental neurology, Vol. 218, pp. 56-63. **Impact Factor: 3,914.**

GOURSAUD S., KOZLOVA N. E., MALOTEAUX J.-M. and HERMANS E.

Cultured astrocytes derived from corpus callosum or cortical grey matter show distinct glutamate handling properties.

Journal of Neurochemistry, Vol. 108, pp. 1442-1452. **Impact Factor: 3,999.**

BOUCHERIE C. and HERMANS E.

Adult stem cell therapies for neurological disorders: benefits beyond neuronal replacement?

Journal of Neuroscience research, Vol. 87, pp. 1509-1521. **Impact Factor: 2,986.**

BOUCHERIE C., SCHÄFER S., LAVAND'HOMME P., MALOTEAUX J.-M. and HERMANS E.

Chimerization of astroglial population in the lumbar spinal cord after mesenchymal stem cell transplantation prolongs survival in a rat model of amyotrophic lateral sclerosis.

Journal of Neuroscience Research, Vol. 87, pp. 2034-2046. **Impact factor: 2,986.**

Université Libre de Bruxelles

Prof. Dr. Marc PARMENTIER

ALBANESI C., SCARPONI C., PALLOTA S., DANIELE R., BOSISIO D., MADONNA S., FORTUGNO P., GONZALVO-FEO S., FRANSSSEN J.-D., ORNELLA DE PITA, GIROLOMONI G., SOZZANI S. and PARMENTIER M.

Chemerin expression marks early psoriatic skin lesions and correlates with plasmacytoid dendritic cell recruitment.

J. Exp. Med, Vol. 206, pp. 249-258. **Impact Factor: 14,500.**

AZDAD K., GALL D., S. WOODS A., LEDENT C., FRERRÉ S., and SERGE N. SCHIFFMANN.

Dopamine D₂ adenosine A_{2A} receptors regulate NMDA-Mediated excitation in accumbens neurons through A_{2A}-D₂ receptor heteromerization.

Neuropsychopharmacology, Vol. 34, pp. 972-986. **Impact factor: 7,000.**

DEVOSSSE T., GUILLABERT A., D'HAENE N., BERTON A., DE NADIA P., NOEL S., BRAIT M., FRANSSSEN J.-D., SOZZANI S., SALMON I. And PARMENTIER M.

Formyl peptide receptor-like 2 is expressed and functional in plasmacytoid dendritic cells, tissue-specific macrophage subpopulations, and eosinophils.

The Journal of Immunology, Vol. 182, pp. 4974-4984. **Impact Factor: 5,600.**

RICHTER R., CASAROSA P., STÄNDKER L., MÜNCH J., SPRINGAEL J.-Y., NIJMEIJER S., FORSSMANN W.-G., VISCHER F. HENRY, VAKILI J., DETHEUX M., LEURS R., J.SMIT M. and PARMENTIER M.

Significance of N-Terminal proteolysis of CCL14a to activity on the chemokine receptors CCR1 and CCR5 and the human cytomegalovirus-encoded chemokine receptor US28¹.

The Journal of Immunology, Vol. 183, pp; 1229-1237. **Impact Factor: 5,600.**

LUANGSAY S., WITTAMER V., BONDUE B., DE HENAU O., ROUGER L., BRAIT M., FRANSSSEN J.-D., DE NADAI P., HUAUX F. and PARMENTIER M.

Mouse ChemR23 is expressed in dendritic cell subsets and macrophages, and mediates an anti-inflammatory activity of chemerin in a lung disease model.

The Journal of Immunology, Vol. 183, pp. 6489-6499. **Impact Factor: 5,600.**

EL YACOUBI M., LEDENT C., COSTENTIN J., VAUGEOIS J.-M. and PARMENTIER M.

Adenosine A_{2A} receptor deficient mice are partially resistant to limbic seizures.

Naunyn-Schmied Arch. Pharmacology, Vol. 380, pp. 223-232. **Impact Factor: 2,600.**

MARIE-ALEXANDRA H. LAMBOT, MENDIVE F., LAURENT P., VAN SCHOORE G. , NOËL J.-C., VANDERHAEGHEN P. and VASSART P.

Three-dimensional reconstruction of efferent ducts in wild-type and *Igr4* knock-out mice.

The Anatomical Record, Vol. 292, pp. 595-603. **Impact Factor: 1,500.**

SOHY D., YANO H., DE NADAI P., URIZAR E., GUILLABERT A., JAVITCH JONATHAN A., SPRINGAEL J.-Y. and PARMENTIER M.

Hetero-oligomerization of CCR2, CCR5, and CXCR4 and the protean effects of “ selective” antagonists.

The Journal of Biological Chemistry, Vol. 284, Nr. 45, pp. 31270-31279. **Impact Factor: 5,300.**

VALVERDE O., CÉLÉRIER E., BARANYL M., VANDERHAEGHEN P., MALDONADO R., SPERLAGH B., VASSART G. and LEDENT C.

GPR3 receptor, a novel actor in the emotional-like responses.

PLOS One, Vol. 4, nr. 3, pp. E4704. **Impact Factor: 4,400.**

Prof. Dr. Serge N. SCHIFFMANN

AZDAD K., GALL D., WOODS AMINA S., LECENT C., FERRÉ S. and SCHIFFMANN SERGE N.

Dopamine D₂ and adenosine A_{2A} receptors regulate NMDA-mediated excitation in accumbens neurons through A_{2A}-D₂ receptor heteromerization.

Neuropsychopharmacology, Vol. 34, pp. 972-986. **Impact Factor: 6,157**

AZDAD K., CHÀVEZ M., DON BISCHOP P., WETZELAER P., MARESCAU B. , DE DEYN P.P., GALL D. and SCHIFFMANN SERGE N.

Homeostatic plasticity of striatal neurons intrinsic excitability following dopamine depletion.

PLoS One, Vol 4, Issus 9, e6908, pp.1-12. **Impact Factor: 4,400**

DURIEUX PIERRE F., BEARZATTO B., GUIDUCCI S., BUCH T., WAISMAN A., ZOLI M., SCHIFFMANN SERGE N. and de KERCHOVE d'EXAERDE.

D₂R striatopallidal neurons inhibit both locomotor and drug reward processes.

Nature Neuroscience, Vol. 12, Nr. 4, pp. 393-395. **Impact Factor: 15,700.**

JACOBY M., COX JAMES J., GAYRAL S., HAMPSHIRE DANIEL J., AYUB M., BLOCKMANS M., PERNOT E., KISSELEVA MARINA V., COMPÈRE P., SCHIFFMANN SERGE N., GERGELY F., RILEY JOHN H., PÉREZ-MORGA DAVID, WOODS GEOFFREY C. and SCHURMANS S.

INPP5E mutations cause primary cilium signaling defects, ciliary instability and ciliopathies in human and Mouse.

Nature Genetics, Vol. 41, pp. 1027-1031. **Impact Factor: 30,529.**

Prof. Dr. Pierre VANDERHAEGHEN

GASPARD N., GAILLARD A. And VANDERHAEGHEN P.

Making cortex in a dish.: In vitro corticogenesis from embryonic stem cells.

Cell Cycle, Vol. 8, nr. 16, pp. 1-6. **Impact factor: 5,000.**

DELEU S., GONZALEZ-MERINO E., GASPARD N., NGUYEN TMU, VANDERHAEGHEN P., LAGNEAUX L., TOUNNOUZ M., ENGLERT Y and DEVREKER F.

Human cystic fibrosis embryonic stem cell lines derived on placental mesenchymal stromal cells.

Reproductive Biomedicine Online, Vol. 18, pp. 704-716. **Impact Factor: 1,000.**

GASPARD N., BOUSCHET T., HERPOEL A., NAEIJE G., van den AMEELE J. and VANDERHAEGHEN P.

Generation of cortical neurons from mouse embryonic stem cells.

Nature protocols, Vol. 4, Nr. 10, pp. 1454-1463. **Impact Factor: 3,800.**

Université de Liège

Prof. Dr. Pierre MAQUET

SODDU A., BOLY M., NIR Y., NOIRHOMME Q., VANHAUDENHUYSE A., DEMERTZI A., ARZI A., OVADIA S., STANZIANO M., PAPA M., LAUREYS S. AND MALACH R.

Reaching across the abyss: recent advances in functional magnetic resonance imaging and their potential relevance to disorders of consciousness.

Progress in Brain Research, Vol. 177, pp. 261-274. **Impact Factor: 1,257.**

LECLERCQ Y., BALTEAU E., DANG-VU THANH, SCHABUS M., LUXEN A., PHILLIPS C. and MAQUET P.

Rejection of pulse related artefact (PRA) from continuous electroencephalographic (EEG) time series recorded during functional magnetic resonance imaging (fMRI) using constraint independent component analysis (cICA)

NeuroImage, Vol. 44, pp. 679-691. **Impact Factor: 2,386.**

VANHAUDENHUYSE A., BOLY M., BALTEAU E., SCHNAKERS C., MOONEN G., LUXEN A., LAMY M. DEGUELDRE C., BRICHANT J.F., FAYMONVILLE M.E., LAUREYS S. and MAQUET P.

Pain and non-pain processing during hypnosis: a thulium-YAG event-related fMRI study.

NeuroImage, Vol. 47, pp. 1047-1054. **Impact Factor: 2,386.**

SCHMIDT C., COLETTE F., LECLERCQ Y., STERPENICH V., VANDEWALLE G., BERTHOMIER C., BERTHOMIER P., PHILLIPS C., TINGUELY G., DARSAUD A., GAIS S., SCHABUS M., DESSEILLES M., DANG-VU THIEN THANH, SALMON E., BALTEAU E., DEGUELDRE C., LUXEN A., PEIGNEUX P., CAJOCHEN C. and MAQUET P.

Homeostatic sleep pressure and responses to sustained attention in the suprachiasmatic area.

Science, Vol. 324, pp. 516-519. **Impact Factor: 16,580.**

MASCETTI L., FORET A., BONJEAN M., MATARAZZO L., DANG-VU THANH and MAQUET P.

Some facts about sleep relevant for Landau-Kleffner syndrome.

Epilepsy, Vol. 50, Nr. 7, pp. 43-46. **Impact Factor: 1,061.**

DESSEILLES M., BALTEAU E., STERPENICH V., DANG-VU THIEN THANH, DARSAUD A., VANDEWALLE G., ALBOUY G., SALMON E., PETERS F., SCHMIDT C., SCHABUS M., GAIS S., DEGUELDRE C., PHILLIPS C., LUXEN A., ANSSEAU M., SCHWARTZ S. and MAQUET P.

Abnormal neural filtering of irrelevant visual information in depression.

The Journal of Neuroscience, Vol. 29, Nr. 5, pp. 1395-1403. **Impact Factor: 3,425.**

STERPENICH V., ALBOUY G., DARSAUD A., SCHMIDT C., VANDEWALLE G., DANG-VU THIEN THANH, DESSEILLES M., PHILLIPS C., DEGUELDRE C., BALTEAU E., COLLETTE F., LUXEN A. and MAQUET P.

Sleep promotes the neural reorganization of remote emotional memory.

The Journal of Neuroscience, Vol. 29, Nr. 16, pp. 5143-5152. **Impact Factor: 3,425.**

VANDEWALLE G., ARCHER SIMON N., WUILLAUME C., BALTEAU E., DEGUELDRE C., LUXEN A., DERK-JAN DIJK and MAQUET P.

Functional magnetic resonance imaging-assessed brain responses during an executive task depend on interaction of sleep homeostasis, circadian phase, and *PER3* genotype.

The Journal of Neuroscience, Vol. 29, Nr. 25, pp. 7948-7956. **Impact Factor: 3,425.**

VANDEWALLE G., DERK-JAN DIJK and MAQUET P.

Light as a modulator of cognitive brain function.

Trends in Cognitive Sciences, Vol. 13, Nr. 10, pp. 429-438. **Impact Factor: 7,140.**

Prof. Dr. Gustave MOONEN

CREPPE, C., MALINOUSKAYA, L., VOLVERT, M.-L., GILLARD, M., CLOSE, P., MALAISE, O., LAGUESSE, S., CORNEZ, I., RAHMOUNI, S., ORMENESE, S., BELACHEW, S., MALGRANGE, B., CHAPELLE, J.-P., SIEBENLIST, U., MOONEN, G., CHARIOT, A. and NGUYEN, L.

Elongator Controls the Migration and Differentiation of Cortical Neurons through Acetylation of α Tubulin.

Cell., Vol. nr. 136: pp.551-564. **Impact Factor: 31,153.**

HENG, J.I.-T., CHARIOT, A. and NGUYEN, L.

Molecular layers underlying cytoskeletal remodelling during cortical development.

Trends Neuroscience, in press. **Impact Factor: 12,817.**

VANDENBOSCH R. , BORGS L. , BEUKELAERS P., BELACHEW S., MALGRANGE B., NGUYEN L. and MOONEN G.

Adult neurogenesis and the diseased brain.

Current Medicinal Chemistry, Vol. 16, Nr. 6, pp. 652-666. **Impact Factor : 4,708.**